

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
AdA: Aldino-----	100	Very limited Frost action  Depth to saturated zone	1.00  0.19	Very limited Depth to saturated zone Cutbanks cave	1.00  0.10	Somewhat limited Depth to saturated zone	0.19
AdB2: Aldino-----	100	Very limited Frost action  Depth to saturated zone	1.00  0.19	Very limited Depth to saturated zone Cutbanks cave	1.00  0.10	Somewhat limited Depth to saturated zone	0.19
AuB2: Aura-----	100	Somewhat limited Frost action	0.50	Very limited Cutbanks cave	1.00	Not limited	
AuC2: Aura-----	100	Somewhat limited Frost action	0.50	Very limited Cutbanks cave	1.00	Not limited	
AvD2: Aura-----	100	Somewhat limited Slope Frost action	0.84 0.50	Very limited Cutbanks cave Slope	1.00 0.84	Somewhat limited Slope	0.84
BaA: Baile-----	100	Very limited Depth to saturated zone Frost action  Shrink-swell	1.00  1.00  0.50	Very limited Depth to saturated zone Cutbanks cave	1.00  0.10	Very limited Depth to saturated zone Content of large stones	1.00  0.01
BaB: Baile-----	100	Very limited Depth to saturated zone Frost action  Shrink-swell	1.00  1.00  0.50	Very limited Depth to saturated zone Cutbanks cave	1.00  0.10	Very limited Depth to saturated zone Content of large stones	1.00  0.01
BcA: Barclay-----	95	Somewhat limited Frost action  Depth to saturated zone	0.50  0.03	Very limited Depth to saturated zone Cutbanks cave	1.00  0.10	Somewhat limited Depth to saturated zone	0.03

Table ENG-4.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
BcB: Barclay-----	95	Somewhat limited Frost action	0.50	Very limited Depth to saturated zone	1.00	Somewhat limited Depth to saturated zone	0.03
		Depth to saturated zone	0.03	Cutbanks cave	0.10		
BeA: Beltsville-----	100	Very limited Frost action	1.00	Very limited Cutbanks cave	1.00	Somewhat limited Depth to saturated zone	0.19
		Depth to saturated zone	0.19	Depth to saturated zone	1.00		
BeB2: Beltsville-----	100	Very limited Frost action	1.00	Very limited Cutbanks cave	1.00	Somewhat limited Depth to saturated zone	0.19
		Depth to saturated zone	0.19	Depth to saturated zone	1.00		
BeC2: Beltsville-----	100	Very limited Frost action	1.00	Very limited Cutbanks cave	1.00	Somewhat limited Depth to saturated zone	0.19
		Depth to saturated zone	0.19	Depth to saturated zone	1.00		
BeC3: Beltsville-----	100	Very limited Frost action	1.00	Very limited Cutbanks cave	1.00	Somewhat limited Depth to saturated zone	0.19
		Depth to saturated zone	0.19	Depth to saturated zone	1.00		
BuA: Butlertown-----	100	Very limited Frost action	1.00	Somewhat limited Depth to saturated zone	0.95	Not limited	
				Cutbanks cave	0.10		
BuB2: Butlertown-----	100	Very limited Frost action	1.00	Somewhat limited Depth to saturated zone	0.95	Not limited	
				Cutbanks cave	0.10		
BuC2: Butlertown-----	100	Very limited Frost action	1.00	Somewhat limited Depth to saturated zone	0.95	Not limited	
				Cutbanks cave	0.10		
BuC3: Butlertown-----	100	Very limited Frost action	1.00	Somewhat limited Depth to saturated zone	0.95	Not limited	
				Cutbanks cave	0.10		

Table ENG-4.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
BuD2: Butlertown-----	100	Very limited Frost action Slope	1.00 0.84	Somewhat limited Depth to saturated zone Slope Cutbanks cave	0.95 0.84 0.10	Somewhat limited Slope	0.84
CeA: Chester-----	100	Somewhat limited Frost action	0.50	Somewhat limited Cutbanks cave	0.10	Somewhat limited Content of large stones	0.01
CeB2: Chester-----	100	Somewhat limited Frost action	0.50	Somewhat limited Cutbanks cave	0.10	Somewhat limited Content of large stones	0.01
ChB2: Chillum-----	100	Very limited Frost action	1.00	Very limited Cutbanks cave	1.00	Not limited	
ChC2: Chillum-----	100	Very limited Frost action	1.00	Very limited Cutbanks cave	1.00	Not limited	
ChC3: Chillum-----	100	Very limited Frost action	1.00	Very limited Cutbanks cave	1.00	Not limited	
ChD2: Chillum-----	100	Very limited Frost action Slope	1.00 0.84	Very limited Cutbanks cave Slope	1.00 0.84	Somewhat limited Slope	0.84
ChD3: Chillum-----	100	Very limited Frost action Slope	1.00 0.84	Very limited Cutbanks cave Slope	1.00 0.84	Somewhat limited Slope	0.84
ClB2: Christiana-----	100	Somewhat limited Shrink-swell Frost action	0.50 0.50	Somewhat limited Too clayey Cutbanks cave	0.64 0.10	Not limited	
CmB2: Chrome-----	100	Somewhat limited Shrink-swell Frost action Depth to hard bedrock	0.50 0.50 0.46	Very limited Depth to hard bedrock Cutbanks cave	1.00 0.10	Somewhat limited Depth to bedrock	0.46

Table ENG-4.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
CmC2: Chrome-----	100	Somewhat limited Slope	0.63	Very limited Depth to hard bedrock	1.00	Somewhat limited Slope	0.63
		Shrink-swell	0.50	Slope	0.63	Depth to bedrock	0.46
		Frost action	0.50	Cutbanks cave	0.10		
		Depth to hard bedrock	0.46				
CmD2: Chrome-----	100	Very limited Slope	1.00	Very limited Depth to hard bedrock	1.00	Very limited Slope	1.00
		Shrink-swell	0.50	Slope	1.00	Depth to bedrock	0.46
		Frost action	0.50	Cutbanks cave	0.10		
		Depth to hard bedrock	0.46				
CnD3: Chrome-----	100	Very limited Slope	1.00	Very limited Depth to hard bedrock	1.00	Very limited Slope	1.00
		Shrink-swell	0.50	Slope	1.00	Depth to bedrock	0.46
		Frost action	0.50	Cutbanks cave	0.10		
		Depth to hard bedrock	0.46				
CnE3: Chrome-----	100	Very limited Slope	1.00	Very limited Depth to hard bedrock	1.00	Very limited Slope	1.00
		Shrink-swell	0.50	Slope	1.00	Depth to bedrock	0.46
		Frost action	0.50	Cutbanks cave	0.10		
		Depth to hard bedrock	0.46				
Co: Coastal Beaches----	90	Not rated		Not rated		Not rated	
Cp: Clay Pits-----	95	Not rated		Not rated		Not rated	
Cr: Codorus-----	100	Very limited Frost action	1.00	Very limited Depth to saturated zone	1.00	Somewhat limited Depth to saturated zone	0.75
		Flooding	1.00	Cutbanks cave	1.00	Flooding	0.60
		Depth to saturated zone	0.75	Flooding	0.60		

Table ENG-4.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
CsB2: Collington-----	100	Somewhat limited Shrink-swell Frost action	0.50 0.50	Very limited Cutbanks cave	1.00	Not limited	
CsC2: Collington-----	100	Somewhat limited Shrink-swell Frost action	0.50 0.50	Very limited Cutbanks cave	1.00	Not limited	
CtB2: Collington-----	100	Somewhat limited Shrink-swell Frost action	0.50 0.50	Very limited Cutbanks cave	1.00	Not limited	
CtC2: Collington-----	100	Somewhat limited Shrink-swell Frost action	0.50 0.50	Very limited Cutbanks cave	1.00	Not limited	
CtC3: Collington-----	100	Somewhat limited Shrink-swell Frost action	0.50 0.50	Very limited Cutbanks cave	1.00	Not limited	
CtD2: Collington-----	100	Somewhat limited Slope Shrink-swell Frost action	0.84 0.50 0.50	Very limited Cutbanks cave Slope	1.00 0.84	Somewhat limited Slope	0.84
CtD3: Collington-----	100	Somewhat limited Slope Shrink-swell Frost action	0.84 0.50 0.50	Very limited Cutbanks cave Slope	1.00 0.84	Somewhat limited Slope	0.84
Cu: Comus-----	100	Very limited Flooding Frost action	1.00 0.50	Very limited Cutbanks cave Flooding	1.00 0.60	Somewhat limited Flooding	0.60
CwC: Conowingo-----	100	Very limited Frost action  Shrink-swell Depth to saturated zone Slope	1.00  0.50 0.43 0.04	Very limited Depth to saturated zone Cutbanks cave Depth to hard bedrock Slope	1.00  1.00 0.32 0.04	Somewhat limited Depth to saturated zone Slope	0.43 0.04
ElA: Elkton-----	50	Very limited Depth to saturated zone Shrink-swell Frost action	1.00  0.50 0.50	Very limited Depth to saturated zone Cutbanks cave	1.00  1.00	Very limited Depth to saturated zone	1.00

Table ENG-4.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Elkton-----	50	Very limited Depth to saturated zone Shrink-swell Frost action	1.00 0.50 0.50	Very limited Depth to saturated zone Cutbanks cave	1.00 0.10	Very limited Depth to saturated zone	1.00
ElB: Elkton-----	50	Very limited Depth to saturated zone Shrink-swell Frost action	1.00 0.50 0.50	Very limited Depth to saturated zone Cutbanks cave	1.00 1.00	Very limited Depth to saturated zone	1.00
Elkton-----	50	Very limited Depth to saturated zone Shrink-swell Frost action	1.00 0.50 0.50	Very limited Depth to saturated zone Cutbanks cave	1.00 0.10	Very limited Depth to saturated zone	1.00
EmA: Elkton-----	50	Very limited Depth to saturated zone Shrink-swell Frost action	1.00 0.50 0.50	Very limited Depth to saturated zone Cutbanks cave	1.00 1.00	Very limited Depth to saturated zone	1.00
Elkton-----	50	Very limited Depth to saturated zone Shrink-swell Frost action	1.00 0.50 0.50	Very limited Depth to saturated zone Cutbanks cave	1.00 0.10	Very limited Depth to saturated zone	1.00
EmB: Elkton-----	50	Very limited Depth to saturated zone Shrink-swell Frost action	1.00 0.50 0.50	Very limited Depth to saturated zone Cutbanks cave	1.00 1.00	Very limited Depth to saturated zone	1.00
Elkton-----	50	Very limited Depth to saturated zone Shrink-swell Frost action	1.00 0.50 0.50	Very limited Depth to saturated zone Cutbanks cave	1.00 0.10	Very limited Depth to saturated zone	1.00
EoA: Elsinboro-----	100	Somewhat limited Frost action	0.50	Somewhat limited Depth to saturated zone Cutbanks cave	0.16 0.10	Not limited	
EoB2: Elsinboro-----	100	Somewhat limited Frost action	0.50	Somewhat limited Depth to saturated zone Cutbanks cave	0.16 0.10	Not limited	

Table ENG-4.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
EoC2: Elsinboro-----	100	Somewhat limited Frost action	0.50	Somewhat limited Depth to saturated zone Cutbanks cave	0.16 0.10	Not limited	
EvB: Evesboro-----	100	Not limited		Very limited Cutbanks cave	1.00	Somewhat limited Droughty	0.69
EvD: Evesboro-----	100	Somewhat limited Slope	0.16	Very limited Cutbanks cave Slope	1.00 0.16	Somewhat limited Droughty Slope	0.69 0.16
EvE: Evesboro-----	100	Very limited Slope	1.00	Very limited Slope Cutbanks cave	1.00 1.00	Very limited Slope Droughty	1.00 0.65
FaA: Fallsington-----	100	Very limited Depth to saturated zone Frost action	1.00 0.50	Very limited Depth to saturated zone Cutbanks cave	1.00 1.00	Very limited Depth to saturated zone	1.00
FaB: Fallsington-----	100	Very limited Depth to saturated zone Frost action	1.00 0.50	Very limited Depth to saturated zone Cutbanks cave	1.00 1.00	Very limited Depth to saturated zone	1.00
FaC: Fallsington-----	100	Very limited Depth to saturated zone Frost action	1.00 0.50	Very limited Depth to saturated zone Cutbanks cave	1.00 1.00	Very limited Depth to saturated zone	1.00
FmA: Fallsington-----	100	Very limited Depth to saturated zone Frost action	1.00 0.50	Very limited Depth to saturated zone Cutbanks cave	1.00 1.00	Very limited Depth to saturated zone	1.00
FmB: Fallsington-----	100	Very limited Depth to saturated zone Frost action	1.00 0.50	Very limited Depth to saturated zone Cutbanks cave	1.00 1.00	Very limited Depth to saturated zone	1.00
GeA: Glenelg-----	100	Somewhat limited Frost action	0.50	Somewhat limited Cutbanks cave	0.10	Not limited	
GeB2: Glenelg-----	100	Somewhat limited Frost action	0.50	Somewhat limited Cutbanks cave	0.10	Not limited	

Table ENG-4.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
GeC2: Glenelg-----	100	Somewhat limited Slope Frost action	0.63 0.50	Somewhat limited Slope Cutbanks cave	0.63 0.10	Somewhat limited Slope	0.63
GeC3: Glenelg-----	100	Somewhat limited Slope Frost action	0.63 0.50	Somewhat limited Slope Cutbanks cave	0.63 0.10	Somewhat limited Slope	0.63
GeD2: Glenelg-----	100	Very limited Slope Frost action	1.00 0.50	Very limited Slope Cutbanks cave	1.00 0.10	Very limited Slope	1.00
GeD3: Glenelg-----	100	Very limited Slope Frost action	1.00 0.50	Very limited Slope Cutbanks cave	1.00 0.10	Very limited Slope	1.00
GeE: Glenelg-----	100	Very limited Slope Frost action	1.00 0.50	Very limited Slope Cutbanks cave	1.00 0.10	Very limited Slope	1.00
GnA: Glenville-----	100	Very limited Frost action  Depth to saturated zone	1.00  0.48	Very limited Depth to saturated zone Cutbanks cave	1.00  0.10	Somewhat limited Depth to saturated zone	0.48
GnB2: Glenville-----	100	Very limited Frost action  Depth to saturated zone	1.00  0.48	Very limited Depth to saturated zone Cutbanks cave	1.00  0.10	Somewhat limited Depth to saturated zone	0.48
GnC2: Glenville-----	100	Very limited Frost action  Slope  Depth to saturated zone	1.00  0.63  0.48	Very limited Depth to saturated zone Slope  Cutbanks cave	1.00  0.63  0.10	Somewhat limited Slope  Depth to saturated zone	0.63  0.48
Gv: Gravel And Borrow Pi	100	Not rated		Not rated		Not rated	



Table ENG-4.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Ha: Hatboro-----	100	Very limited Depth to saturated zone Frost action Flooding	1.00  1.00 1.00	Very limited Depth to saturated zone Cutbanks cave Flooding	1.00  1.00 0.60	Very limited Depth to saturated zone Flooding	1.00  0.60
KeA: Keyport-----	100	Very limited Frost action Shrink-swell	1.00  0.50	Very limited Cutbanks cave Depth to saturated zone	1.00  0.99	Not limited	
KeB2: Keyport-----	100	Very limited Frost action Shrink-swell	1.00  0.50	Very limited Cutbanks cave Depth to saturated zone	1.00  0.99	Not limited	
KeC2: Keyport-----	100	Very limited Frost action Shrink-swell	1.00  0.50	Very limited Cutbanks cave Depth to saturated zone	1.00  0.99	Not limited	
KpA: Keyport-----	100	Very limited Frost action Shrink-swell	1.00  0.50	Very limited Cutbanks cave Depth to saturated zone	1.00  0.99	Not limited	
KpB2: Keyport-----	100	Very limited Frost action Shrink-swell	1.00  0.50	Very limited Cutbanks cave Depth to saturated zone	1.00  0.99	Not limited	
KpC2: Keyport-----	100	Very limited Frost action Shrink-swell	1.00  0.50	Very limited Cutbanks cave Depth to saturated zone	1.00  0.99	Not limited	
KpD2: Keyport-----	100	Very limited Frost action Slope Shrink-swell	1.00  0.84 0.50	Very limited Cutbanks cave Depth to saturated zone Slope	1.00  0.99 0.84	Somewhat limited Slope	0.84
KsB3: Keyport-----	100	Very limited Frost action Shrink-swell	1.00  0.50	Very limited Cutbanks cave Depth to saturated zone	1.00  0.99	Not limited	

Table ENG-4.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
KsC3: Keyport-----	100	Very limited Frost action Shrink-swell	1.00 0.50	Very limited Cutbanks cave Depth to saturated zone	1.00 0.99	Not limited	
LeB2: Legore-----	100	Somewhat limited Frost action	0.50	Very limited Cutbanks cave	1.00	Not limited	
LeC2: Legore-----	100	Somewhat limited Slope Frost action	0.63 0.50	Very limited Cutbanks cave Slope	1.00 0.63	Somewhat limited Slope	0.63
LeD2: Legore-----	100	Very limited Slope Frost action	1.00 0.50	Very limited Slope Cutbanks cave	1.00 1.00	Very limited Slope	1.00
LgC3: Legore-----	100	Somewhat limited Slope Frost action	0.63 0.50	Very limited Cutbanks cave Slope	1.00 0.63	Somewhat limited Slope	0.63
LgE3: Legore-----	100	Very limited Slope Frost action	1.00 0.50	Very limited Slope Cutbanks cave	1.00 1.00	Very limited Slope	1.00
LoA: Leonardtown-----	100	Very limited Depth to saturated zone Frost action	1.00 1.00	Very limited Depth to saturated zone Depth to dense layer Cutbanks cave	1.00 0.50 0.10	Very limited Depth to saturated zone	1.00
LoB: Leonardtown-----	100	Very limited Depth to saturated zone Frost action	1.00 1.00	Very limited Depth to saturated zone Depth to dense layer Cutbanks cave	1.00 0.50 0.10	Very limited Depth to saturated zone	1.00
LyC: Loamy And Clayey Lan	100	Not rated		Not rated		Not rated	
LyD: Loamy And Clayey Lan	100	Not rated		Not rated		Not rated	

Table ENG-4.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
LyE: Loamy And Clayey Lan	100	Not rated		Not rated		Not rated	
MaB: Made Land-----	95	Not rated		Not rated		Not rated	
MaD: Made Land-----	100	Not rated		Not rated		Not rated	
MlB2: Manor-----	100	Somewhat limited Frost action	0.50	Somewhat limited Cutbanks cave	0.10	Not limited	
MlC2: Manor-----	100	Somewhat limited Slope Frost action	0.63 0.50	Somewhat limited Slope Cutbanks cave	0.63 0.10	Somewhat limited Slope	0.63
MlC3: Manor-----	100	Somewhat limited Slope Frost action	0.63 0.50	Somewhat limited Slope Cutbanks cave	0.63 0.10	Somewhat limited Slope	0.63
MlD2: Manor-----	100	Very limited Slope Frost action	1.00 0.50	Very limited Slope Cutbanks cave	1.00 0.10	Very limited Slope	1.00
MlD3: Manor-----	100	Very limited Slope Frost action	1.00 0.50	Very limited Slope Cutbanks cave	1.00 0.10	Very limited Slope	1.00
MlE: Manor-----	100	Very limited Slope Frost action	1.00 0.50	Very limited Slope Cutbanks cave	1.00 0.10	Very limited Slope	1.00
MmD: Manor-----	100	Somewhat limited Slope Frost action	0.96 0.50	Somewhat limited Slope Cutbanks cave	0.96 0.10	Somewhat limited Slope Content of large stones	0.96 0.05
MnA: Matapeake-----	100	Somewhat limited Frost action	0.50	Somewhat limited Cutbanks cave	0.10	Not limited	
MnB2: Matapeake-----	100	Somewhat limited Frost action	0.50	Somewhat limited Cutbanks cave	0.10	Not limited	

Table ENG-4.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
MnC2: Matapeake-----	100	Somewhat limited Frost action	0.50	Somewhat limited Cutbanks cave	0.10	Not limited	
MnC3: Matapeake-----	100	Somewhat limited Frost action	0.50	Somewhat limited Cutbanks cave	0.10	Not limited	
MnD2: Matapeake-----	100	Somewhat limited Slope Frost action	0.84 0.50	Somewhat limited Slope Cutbanks cave	0.84 0.10	Somewhat limited Slope	0.84
MnD3: Matapeake-----	100	Somewhat limited Slope Frost action	0.84 0.50	Somewhat limited Slope Cutbanks cave	0.84 0.10	Somewhat limited Slope	0.84
MoA: Matapeake-----	100	Somewhat limited Frost action	0.50	Somewhat limited Cutbanks cave	0.10	Not limited	
MoB2: Matapeake-----	100	Somewhat limited Frost action	0.50	Somewhat limited Cutbanks cave	0.10	Not limited	
MpA: Mattapex-----	95	Somewhat limited Frost action	0.50	Very limited Cutbanks cave	1.00	Somewhat limited Depth to saturated zone	0.03
		Depth to saturated zone	0.03	Depth to saturated zone	1.00		
MpB2: Mattapex-----	100	Somewhat limited Frost action	0.50	Very limited Cutbanks cave	1.00	Somewhat limited Depth to saturated zone	0.03
		Depth to saturated zone	0.03	Depth to saturated zone	1.00		
MpC2: Mattapex-----	100	Somewhat limited Frost action	0.50	Very limited Cutbanks cave	1.00	Somewhat limited Depth to saturated zone	0.03
		Depth to saturated zone	0.03	Depth to saturated zone	1.00		
Mr: Mixed Alluvial Land-	100	Not rated		Not rated		Not rated	
MtA: Montalto-----	100	Very limited Shrink-swell Frost action	1.00 0.50	Somewhat limited Cutbanks cave Too clayey	0.10 0.03	Not limited	

Table ENG-4.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
MtB2: Montalto-----	100	Very limited Shrink-swell Frost action	1.00 0.50	Somewhat limited Cutbanks cave Too clayey	0.10 0.03	Not limited	
MtC2: Montalto-----	100	Very limited Shrink-swell Slope Frost action	1.00 0.63 0.50	Somewhat limited Slope Cutbanks cave Too clayey	0.63 0.10 0.03	Somewhat limited Slope	0.63
MvD: Montalto-----	100	Somewhat limited Slope Shrink-swell Frost action	0.96 0.50 0.50	Somewhat limited Slope Cutbanks cave Too clayey	0.96 0.10 0.03	Somewhat limited Slope Content of large stones	0.96 0.11
MyC3: Montalto-----	100	Very limited Shrink-swell Slope Frost action	1.00 0.63 0.50	Somewhat limited Slope Cutbanks cave Too clayey	0.63 0.10 0.03	Somewhat limited Slope	0.63
MyD3: Montalto-----	100	Very limited Slope Shrink-swell Frost action	1.00 1.00 0.50	Very limited Slope Cutbanks cave Too clayey	1.00 0.10 0.03	Very limited Slope	1.00
NeA: Neshaminy-----	100	Somewhat limited Frost action	0.50	Somewhat limited Cutbanks cave	0.10	Somewhat limited Content of large stones	0.01
NeB2: Neshaminy-----	100	Somewhat limited Frost action	0.50	Somewhat limited Cutbanks cave	0.10	Somewhat limited Content of large stones	0.01
NeC2: Neshaminy-----	100	Somewhat limited Slope Frost action	0.63 0.50	Somewhat limited Slope Cutbanks cave	0.63 0.10	Somewhat limited Slope Content of large stones	0.63 0.01
NeD2: Neshaminy-----	100	Very limited Slope Frost action	1.00 0.50	Very limited Slope Cutbanks cave	1.00 0.10	Very limited Slope Content of large stones	1.00 0.01
OhA: Othello-----	100	Very limited Depth to saturated zone Frost action	1.00 0.50	Very limited Depth to saturated zone Cutbanks cave	1.00 1.00	Very limited Depth to saturated zone	1.00

Table ENG-4.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
OhB: Othello-----	100	Very limited Depth to saturated zone Frost action	1.00 0.50	Very limited Depth to saturated zone Cutbanks cave	1.00 1.00	Very limited Depth to saturated zone	1.00
RuB: Rumford-----	100	Not limited		Very limited Cutbanks cave	1.00	Not limited	
RuC: Rumford-----	100	Not limited		Very limited Cutbanks cave	1.00	Not limited	
RuD: Rumford-----	100	Somewhat limited Slope	0.84	Very limited Cutbanks cave Slope	1.00 0.84	Somewhat limited Slope	0.84
SaA: Sassafras-----	100	Somewhat limited Frost action	0.50	Very limited Cutbanks cave	1.00	Not limited	
SaB2: Sassafras-----	100	Somewhat limited Frost action	0.50	Very limited Cutbanks cave	1.00	Not limited	
SaC2: Sassafras-----	100	Somewhat limited Frost action	0.50	Very limited Cutbanks cave	1.00	Not limited	
SaC3: Sassafras-----	100	Somewhat limited Frost action	0.50	Very limited Cutbanks cave	1.00	Not limited	
SaD2: Sassafras-----	100	Somewhat limited Slope Frost action	0.84 0.50	Very limited Cutbanks cave Slope	1.00 0.84	Somewhat limited Slope	0.84
SaD3: Sassafras-----	100	Somewhat limited Slope Frost action	0.84 0.50	Very limited Cutbanks cave Slope	1.00 0.84	Somewhat limited Slope	0.84
SfB2: Sassafras-----	100	Somewhat limited Frost action	0.50	Very limited Cutbanks cave	1.00	Not limited	
SgB2: Sassafras-----	100	Somewhat limited Frost action	0.50	Very limited Cutbanks cave	1.00	Somewhat limited Gravel content Content of large stones	0.33 0.01

Table ENG-4.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
SgC2: Sassafras-----	100	Somewhat limited Frost action	0.50	Very limited Cutbanks cave	1.00	Somewhat limited Gravel content Content of large stones	0.33 0.01
SgC3: Sassafras-----	100	Somewhat limited Frost action	0.50	Very limited Cutbanks cave	1.00	Somewhat limited Gravel content Content of large stones	0.33 0.01
SgD3: Sassafras-----	100	Somewhat limited Slope Frost action	0.84 0.50	Very limited Cutbanks cave Slope	1.00 0.84	Somewhat limited Slope Gravel content Content of large stones	0.84 0.33 0.01
SrE: Aura-----	50	Very limited Slope Frost action	1.00 0.50	Very limited Slope Cutbanks cave	1.00 1.00	Very limited Slope Gravel content Droughty	1.00 0.50 0.06
Sassafras-----	50	Very limited Slope Frost action	1.00 0.50	Very limited Slope Cutbanks cave	1.00 1.00	Very limited Slope	1.00
St: Stony Land-----	100	Not rated		Not rated		Not rated	
Tm: Tidal Marsh-----	100	Not rated		Not rated		Not rated	
Wa: Watchung-----	100	Very limited Depth to saturated zone Frost action Shrink-swell	1.00 1.00 0.50	Very limited Depth to saturated zone Too clayey Cutbanks cave	1.00 0.72 0.10	Very limited Depth to saturated zone Content of large stones	1.00 0.05
WoA: Woodstown-----	100	Somewhat limited Frost action	0.50	Very limited Cutbanks cave Depth to saturated zone	1.00 1.00	Not limited	

Table ENG-4.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
WoB2: Woodstown-----	95	Somewhat limited Frost action	0.50	Very limited Cutbanks cave Depth to saturated zone	1.00 1.00	Not limited	
WoC2: Woodstown-----	95	Somewhat limited Frost action	0.50	Very limited Cutbanks cave Depth to saturated zone	1.00 1.00	Not limited	
WoC3: Woodstown-----	100	Somewhat limited Frost action	0.50	Very limited Cutbanks cave Depth to saturated zone	1.00 1.00	Not limited	
WoD: Woodstown-----	100	Somewhat limited Slope Frost action	0.84 0.50	Very limited Cutbanks cave Depth to saturated zone Slope	1.00 1.00 0.84	Somewhat limited Slope	0.84
WsA: Woodstown-----	100	Somewhat limited Frost action	0.50	Very limited Cutbanks cave Depth to saturated zone	1.00 1.00	Not limited	
WsB2: Woodstown-----	100	Somewhat limited Frost action	0.50	Very limited Cutbanks cave Depth to saturated zone	1.00 1.00	Not limited	



